

CAT®

PRÍDAVNÉ ZARIADENIA PRE MALÉ KOLESOVÉ NAKLADAČE 924K, 930K, 938K, 926M, 930M, 938M



ZEPPELIN®



PRÍDAVNÉ ZARIADENIA CAT® NA KAŽDÚ PRÁCU

RÝPADLO-NAKLADAČE



Univerzálna lopata



Viacúčelová lopata



Vrták



Lyžica pre
bežnú prevádzku



Lyžica pre
ťažkú prevádzku



Zametacie zariadenie



Upínač



Asfaltová fréza



Kladivo



Paletizačné vidly



Drážkovacia lyžica



Svahovacia lyžica

ŠMYKOM RIADENÉ NAKLADAČE



Univerzálna lopata



Viacúčelová lopata



Vrták



Lopata na
ľahký materiál



Smart
zarovnávací radica



6-cestná
dozérova radica



Podkopové
zariadenie



Lopata
s pridržačom



Zametacie zariadenie



Mulčovač



Miešacia lopata



Priemyselný drapák



Kladivo

PRÍDAVNÉ ZARIADENIA CAT® NA KAŽDÚ PRÁCU

MINIRÝPADLÁ



Výkopová lyžica



Naklápací upínač



Kladivo



Tilt-rotátor



Svahovacia lopata



Naklápacia
svahovacia lopata



Vrták



Upínač

PRÍDAVNÉ ZARIADENIA

PRE MALÉ KOLESOVÉ NAKLADAČE

**Get more out of your equipment
with Cat® attachments.**

Cat® attachments are designed and tested on each model to maximize machine performance.

**This brochure consists of
Work Tool offerings for
Small Wheel Loader models:**

M-Series: 926M, 930M, 938M

K-Series: 924K, 930K, 938K

H-Series: 924H, 924HZ, 928HZ, 930H

G-Series: 924G, 924GZ, 928GZ, 930G



*Pages with **yellow** bars
at the bottom contain
parts for EAME only.*

INDEX

COUPLER SOLUTIONS4

HOOKS6

BUCKET GROUND ENGAGING TOOLS (G.E.T.).....8

BUCKETS

PIN ON GENERAL PURPOSE11

PIN ON FLAT FLOOR12

PIN ON LIGHT MATERIAL12

PIN ON SAND AND GRAVEL13

CHARCOAL14

CHARCOAL ARM (FUSION).....14

BAGASSE.....15

PIN ON HIGH CAPACITY16

PIN ON HIGH DUMP16

PIN ON MULTI PURPOSE.....17

PIN ON WASTE.....17

FUSION™ COUPLER KITS.....18

FUSION GENERAL PURPOSE19

FUSION FLAT FLOOR.....20

FUSION LIGHT MATERIAL20

FUSION MATERIAL HANDLING / SAND AND GRAVEL.....21

FUSION HIGH CAPACITY / HIGH DUMP22

FUSION SIDE DUMP23

FUSION MULTI-PURPOSE.....24

FUSION SKELETON25

HPL - WIDE (L50) GENERAL PURPOSE25

HPL - WIDE (L50) FLAT FLOOR.....26

HPL - WIDE (L50) SCANDANAVIAN GRADING27

HPL - WIDE (L50) LIGHT MATERIAL28

HPL - WIDE (L50) HIGH DUMP28

PRÍDAVNÉ ZARIADENIA

PRE MALÉ KOLESOVÉ NAKLADAČE

PIPE AND POLE FORKS29

MATERIAL HANDLING ARM29

SNOW PUSHES / SNOW PLOWS

FUSION STRAIGHT PUSHES30

BUCKET RECIEVER STRAIGHT PUSHES31

FUSION SNOW PLOWS32

FORKS – MILLYARD / SEMI MILLYARD

FUSION MILLYARD / SEMI MILLYARD FORKS34

PIN ON MILLYARD / SEMI MILLYARD FORKS35

GRAPPLE FORKS

FUSION GRAPPLE FORKS36

FUSION / PIN ON SORTING GRAPPLE FORKS36

HPL - WIDE (L50) SORTING GRAPPLE FORKS37

LOG AND LUMBER CARRIAGES AND FORKS

PIN ON CARRIAGES37

PIN ON FORKS37

FUSION CARRIAGE (NS, NF)38

FUSION FORKS38

FUSION CARRIAGE (NS, F)39

FUSION FORKS39

FUSION CARRIAGE (S, F)40

FUSION FORKS40

FUSION FLOAT LOCK-OUT KIT40

RAKES

FUSION RAKES41

PALLET CARRIAGES AND FORKS

FUSION CARRIAGE42

FUSION FORKS42

HPL - WIDE (L50) CARRIAGE43

HPL - WIDE (L50) OFFSET FORKS43

FUSION OFFSET FORKS44

FUSION CONSTRUCTION FORKS44

FUSION HEAVY DUTY CONSTRUCTION CARRIAGE45

FUSION HEAVY DUTY CONSTRUCTION FORKS45

BROOMS

ANGLE, MANUAL46

ANGLE, HYDRAULIC46

SPECIAL APPLICATION48

PICKUP49

KITS50

COUPLERS51

PART NUMBERS IN THIS BROCHURE ARE UP TO DATE AS OF JUNE 2021.
PRICES IN THIS BROCHURE ARE ACCURATE AS OF APRIL 2021, BUT ARE
SUBJECT TO CHANGE. PLEASE CONTACT YOUR LOCAL DEALER SALES
REPRESENTATIVE TO REQUEST A CURRENT QUOTE.

Abbreviations:

BOCE: Bolt-on cutting edge

BOT: Bolt-on teeth

WOT: Weld-on teeth

NS: Non-swinging

NF: Non-floating

S: Swinging

F: Floating

Cat® Coupler Solutions

Fusion

The Caterpillar patented Fusion coupler sits back close to the loader arms, minimizing offset, enabling increased machine performance. Optimal visibility in combination with the machine linkage makes it easier and safer to engage and disengage attachments. The Advanced wedge mechanism creates a tight, rattle-free fit, eliminating play and wear resulting in a long service life. Attachment exchangeability among a wide Cat loader range.



Horizontal Pin Lock - Wide (L50)

The ISO coupler will pick up a range of Cat small wheel loader attachments. It will allow sale of small wheel loaders in mixed fleets. The coupler along with the profiled loader arms have been designed to give maximum visibility to the work tool, making it easier and safer to engage and disengage attachments. A simple joystick function allows for easy engagement and disengagement of the locking pins.


– Also known as Wide Coupler, Volvo, or Volvo L50 / Wide size.



IT

Legacy interface bridges old and new small wheel loader machines into one fleet. Combine different machine products (backhoe loader, compact wheel loader and telehandler) with the same coupler for specific attachments. Aftermarket solution for existing fleet allowing end users to make use of their entire existing attachment portfolio. **Note only available for 924, 926 and 930.*

– Also known as Integrated Tool Carrier Coupler, IT14/28 and IT38 (larger IT).



No Coupler Solution – Pin On

No coupler solution, maximum usage of machine lifting capabilities in the application. Often used when machine is 100% dedicated to the task at hand.



SMALL WHEEL LOADERS ATTACHMENTS | 2021



Fusion



Pin On



Horizontal Pin Lock - Wide (L50)

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Adapter Hooks

Applicable for attachment modifications allowing connection to IT couplers, or picking up IT tools on Fusion couplers.

HOOKS (FOR CONVERSION TO FUSION™)

Part Number	Weight <i>lb (kg)</i>	Description	Price
371-2400	330 (150)	Flat back	\$
317-5562	787 (357)	Blank	\$

CONVERSION ADAPTER (IT TO FUSION)

Part Number	Weight <i>lb (kg)</i>	Description	Price
589-6664	330 (150)	Adapter interface	\$

HOOKS (FOR USE WITH VERTICAL WEDGE LOCK COUPLERS)

Part Number	Weight <i>lb (kg)</i>	Description	Price
498-4390	493 (224)	Blank, VWL, 4"	\$

HOOKS (FOR CONVERSION TO IT COUPLER)

Part Number	Weight <i>lb (kg)</i>	Description	Price
109-6712	356 (162)	Blank, IT	\$
113-2677	155 (70)	Flat back, IT	\$

HOOKS (FOR USE WITH SW2003/6 COUPLERS)

Part Number	Weight <i>lb (kg)</i>	Description	Price
201-1397	150 (68)	Flat back, SA02003/6	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021



Hook, Blank, IT




**Hook, Blank, IT
(Flat Back)**



**Fusion to IT
Conversion Adapter**

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Cat Advansys™ Ground Engaging Tools (G.E.T.) optimize performance with less installation downtime and more safety. This hammerless system features integrated retention components and streamlines retrofitting with adapters that drop into the same space as K series.



ADVANSYS (G.E.T.)

Part Number	Model	Compatibility	Price
589-6111	ADAPTER GP-TIP	Check with your local dealer	\$


ADVANSYS G.E.T. RETROFIT TABLE

Part Number	Description	Price
539-5600	Center Adapter	\$
8J-2933	Nut	\$
8J-2928	Bolt, Plow	\$
539-5601	Right Hand Adapter	\$
539-5602	Left Hand Adapter	\$
2J-3507	Nut	\$
4F-4042	Bolt, Plow	\$
4J-9058	Bolt, Plow	\$
539-5678	Tip, Gen. Purpose	

BASE EDGES

Part Number	Width	Price
4E-0659	2524 – 2550 mm	\$
110-4712	2750 mm	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021



GROUND ENGAGING TOOLS (G.E.T.)			2455 mm WIDTH	
Part Number	Weight lb (kg)	Description	Type	Price
116-9713	346 (157)	Adapters, bolt-on, set of 8	J250	\$
9W-8142	55 (25)	Tips, long, set of 8	J250	\$
9W-8143	40 (18)	Tips, short, set of 8	J250	\$

GROUND ENGAGING TOOLS (G.E.T.)			2524 mm – 2550 mm WIDTH	
Part Number	Weight lb (kg)	Description	Type	Price
547-6107	271 (123)	Cutting Edge, bolt-on, 1 piece	-	\$
472-1465	271 (123)	Cutting Edge, bolt-on, 3 pieces	-	\$
8E-4566*	365 (166)	Cutting Edge, bolt-on, 4 pieces	-	\$
8E-4568**	205 (93)	Segments, bolt-on, set of 7	-	\$
360-3284	154 (70)	Adapters, bolt-on, set of 8	J250	\$
116-9713	346 (157)	Adapters, bolt-on, set of 8	J250	\$
9W-8142	55 (25)	Tips, long, set of 8	J250	\$
251-5418	455 (206)	Cutting Edge, rubber, 100"	-	\$

*Cannot be used with general purpose, sand and gravel or high dump buckets.

**Requires 116-9713 or 360-3284 adapter group.

SMALL WHEEL LOADERS ATTACHMENTS | 2021

GROUND ENGAGING TOOLS (G.E.T.)			2750 mm WIDTH	
Part Number	Weight lb (kg)	Description	Teeth Type	Price
547-6108	291 (132)	Cutting Edge, bolt-on, 1 piece	-	\$
472-1468	293 (133)	Cutting Edge, bolt-on, 3 pieces	-	\$
345-2758*	319 (145)	Cutting Edge, bolt-on, 4 pieces	-	\$
116-9713**	346 (157)	Adapters, bolt-on, set of 8	J250	\$
360-3284	154 (70)	Adapters, bolt-on, set of 8	J250	\$
9W-8142	55 (25)	Tips, long, set of 8	J250	\$
9W-8143	40 (18)	Tips, short, set of 8	J250	\$

*Cannot be used with high dump buckets.

**Cannot be used with light material buckets.

Bolt-on Adapters and Tips



GROUND ENGAGING TOOLS (G.E.T.)			3065 mm WIDTH
Part Number	Weight lb (kg)	Description	Price
547-6109	511 (232)	Cutting Edge, bolt-on, 1 piece	\$
472-1471	512 (232)	Cutting Edge, bolt-on, 3 pieces	\$

QUICK DISCONNECT KIT


Part Number	Description	Price
455-7380	Twist to connect, size M45	\$
196-4191	Push to connect, size 12	\$



SMALL WHEEL LOADERS

ATTACHMENTS | 2021

General Purpose Performance Series Buckets provide higher fill factors and material retention in load and carry applications, as well as grading, leveling and dumping in a wide variety of applications and materials.



GENERAL PURPOSE PERFORMANCE BUCKETS							PIN ON
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Price
345-2818	2.5 (1.9)	1788 (811)	46 (1168)	100 (2528)	49 (1240)	Base Edge	\$
417-4359	2.5 (1.9)	2072 (940)	49 (1240)	100 (2549)	50 (1260)	BOCE	\$
345-2820	2.7 (2.1)	1885 (855)	49 (1240)	100 (2528)	51 (1294)	Base Edge	\$
417-4921	2.7 (2.1)	2165 (982)	52 (1312)	100 (2549)	52 (1314)	BOCE	\$
345-2822	3.0 (2.3)	1967 (892)	51 (1303)	100 (2528)	53 (1338)	Base Edge	\$
417-4923	3.0 (2.3)	2249 (1020)	54 (1375)	100 (2549)	54 (1358)	BOCE	\$
345-2804	3.3 (2.5)	2156 (978)	51 (1303)	107 (2727)	53 (1336)	Base Edge	\$
345-2814	3.3 (2.5)	2156 (978)	54 (1365)	100 (2528)	54 (1382)	Base Edge	\$
345-2824	3.3 (2.5)	2154 (977)	54 (1365)	100 (2528)	54 (1382)	Base Edge	\$
417-4345	3.3 (2.5)	2443 (1108)	57 (1437)	100 (2549)	55 (1404)	BOCE	\$
345-2816	3.5 (2.7)	2134 (968)	54 (1365)	100 (2528)	56 (1418)	Base Edge	\$
345-2826	3.5 (2.7)	2251 (1021)	54 (1365)	107 (2727)	54 (1381)	Base Edge	\$
345-2828	3.8 (2.9)	2330 (1057)	56 (1414)	107 (2727)	62 (1572)	Base Edge	\$
417-4895*	3.3 (2.5)	2456 (1114)	54 (1375)	108 (2747)	54 (1358)	BOCE	\$
417-4927*	3.5 (2.7)	2553 (1158)	57 (1437)	108 (2747)	55 (1404)	BOCE	\$
417-4349*	3.8 (2.9)	2650 (1202)	59 (1486)	108 (2747)	57 (1439)	BOCE	\$

*Compatible with 938K/M only

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Performance Series Flat Floor, General Purpose Buckets utilize a long flat floor that delivers improved results when back dragging and grading.



GENERAL PURPOSE FLAT FLOOR BUCKETS

PIN ON

Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Price
490-3050	3.0 (2.3)	2260 (1025)	58 (1471)	100 (2532)	53 (1349)	BOCE	\$
493-1835	3.0 (2.3)	2436 (1105)	60 (1515)	100 (2539)	53 (1350)	WOT	\$
490-3060	3.3 (2.5)	2712 (1230)	54 (1375)	107 (2727)	54 (1358)	BOCE	\$
490-3070	3.8 (2.9)	2904 (1317)	59 (1486)	107 (2727)	57 (1439)	BOCE	\$
493-1845*	3.3 (2.5)	2637 (1196)	60 (1515)	108 (2738)	53 (1350)	WOT	\$
493-1855*	3.8 (2.9)	2829 (1283)	64 (1625)	108 (2738)	56 (1431)	WOT	\$

**Compatible with 938K/M only*

Light Material Buckets are specially designed for maximum efficiency and increased capacity when loading light, loosely-packed materials.



LIGHT MATERIAL BUCKETS

PIN ON

Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Price
452-7416	3.9 (3)	2732 (1239)	58 (1462)	108 (2747)	54 (1369)	BOCE	\$
417-4905	4.6 (3.5)	2904 (1317)	62 (1565)	108 (2747)	57 (1448)	BOCE	\$
450-0250	5.0 (3.8)	3062 (1389)	65 (1647)	108 (2747)	58 (1471)	BOCE	\$
417-4942	5.5 (4.2)	3175 (1440)	68 (1735)	108 (2747)	61 (1538)	BOCE	\$
417-4350	6.5 (5)	3300 (1497)	68 (1735)	108 (2747)	66 (1687)	BOCE	\$
360-3332*	4.6 (3.5)	2895 (1313)	62 (1565)	108 (2747)	57 (1448)	BOCE	\$
450-0251*	5.0 (3.8)	3025 (1372)	65 (1647)	108 (2747)	58 (1471)	BOCE	\$
360-3333*	5.5 (4.2)	108 (2747)	68 (1735)	108 (2747)	61 (1538)	BOCE	\$
360-3334*	6.5 (5)	108 (2747)	68 (1735)	108 (2747)	66 (1687)	BOCE	\$

**Compatible with 938K/M only*

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Sand and Gravel Buckets are designed for aggregate handling in batch plant loader applications.



SAND AND GRAVEL BUCKETS							PIN ON
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Price
430-3300	3.2 (2.5)	2262 (1026)	51 (1303)	108 (2750)	53 (1338)	Base Edge	\$
466-2252	3.2 (2.5)	2582 (1171)	51 (1375)	108 (2747)	54 (1359)	BOCE	\$
360-3309	3.5 (2.7)	2352 (1067)	56 (1414)	108 (2750)	54 (1382)	Base Edge	\$
466-2253	3.5 (2.7)	2668 (1210)	57 (1437)	108 (2747)	55 (1404)	BOCE	\$
360-3308*	3.5 (2.7)	2370 (1075)	54 (1365)	108 (2750)	54 (1381)	Base Edge	\$
466-2255*	3.5 (2.7)	2685 (1218)	57 (1437)	108 (2747)	55 (1404)	BOCE	\$
469-0193*	3.8 (2.9)	2454 (1113)	56 (1414)	108 (2750)	56 (1419)	Base Edge	\$
469-0194*	3.8 (2.9)	2758 (1251)	56 (1428)	108 (2743)	57 (1440)	BOCE	\$
360-3311	4.2 (3.2)	2529 (1147)	56 (1414)	108 (2750)	58 (1465)	Base Edge	\$
466-2254	4.2 (3.2)	2844 (1290)	59 (1486)	108 (2747)	59 (1488)	BOCE	\$
360-3310*	4.2 (3.2)	2527 (1146)	56 (1414)	108 (2750)	58 (1465)	Base Edge	\$
466-2256*	4.2 (3.2)	2842 (1289)	59 (1486)	108 (2747)	59 (1488)	BOCE	\$
396-2222*	4.5 (3.5)	3430 (1556)	62 (1578)	108 (2750)	61 (1537)	BOCE	\$


*Compatible with 938K/M only

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Charcoal Buckets and Charcoal Arm Designed to allow efficient handling of charcoal.



Charcoal arm
(Available in Brazil only)



**Pin On
Charcoal Bucket**
6.5 yd³ (5.0 m³) capacity



**Charcoal arm
with bucket**

CHARCOAL BUCKETS

PIN ON

Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Depth in (mm)	Width in (mm)	Height in (mm)	Edge Type	Machine	Price
449-1350	5.2 (3.4)	2480 (1125)	67 (1708)	121 (3062)	54 (1375)	Base Edge	924K	\$
426-5185	6.5 (5.0)	2826 (1282)	72 (1838)	121 (3062)	67 (1693)	Base Edge	930K	\$

CHARCOAL ARM

FUSION

Part Number	Weight lb (kg)	Depth in (mm)	Width in (mm)	Height in (mm)	Machine	Price
426-5203*	1880 (853)	98 (2495)	30 (758)	48 (1226)	924K, 930K	\$

**Available in Brazil only*

SMALL WHEEL LOADERS

ATTACHMENTS | 2021

The Cat Bagasse Bucket is exclusively designed to move bagasse in sugar cane mills. It optimizes material flow, while maximizing visibility.



Bagasse Bucket

BAGASSE BUCKET							PIN ON
Part Number	Capacity yd ³ (m ³)	Depth in (mm)	Width in (mm)	Height in (mm)	Edge Type	Required Hydraulics	Price
568-7628*	7.8 (6.0)	72 (1820)	121 (3062)	63 (1589)	BOCE	None	\$

**Available for Latin America. Ex-Factory only.*

SMALL WHEEL LOADERS ATTACHMENTS | 2021

High Capacity / Wood Chip Buckets,

are for applications where low-density material is handled.

Higher Capacity allows more productivity per cycle.



High Capacity / Wood Chip Bucket

HIGH CAPACITY / WOOD CHIP BUCKETS							PIN ON
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Price
568-7631	7.8 (6.0)	3993 (1811)	74 (1889)	121 (3062)	64 (1614)	BOCE	\$
568-9164	8.9 (6.8)	4277 (1940)	74 (1889)	133 (3382)	65 (1640)	BOCE	\$

High Dump Buckets feature greatly increased dump height

over standard material-handling buckets. Whether loading trucks, feeding compactors or just working in the pile, high dump buckets offer the performance you need.



High Dump Bucket

HIGH DUMP BUCKETS								PIN ON
Part Number	Capacity <i>yd3 (m3)</i>	Weight <i>lb (kg)</i>	Length <i>in (mm)</i>	Width <i>in (mm)</i>	Height <i>in (mm)</i>	Edge Type	Required Hydraulics	Price
461-1430	3.9 (3)	3834 (1739)	70 (1770)	100 (2528)	66 (1663)	BOCE	3rd Function	\$
461-7080	4.6 (3.5)	4028 (1827)	70 (1770)	107 (2716)	67 (1706)	BOCE	3rd Function	\$
464-2890	5.4 (4.1)	4760 (2159)	72 (1835)	119 (3032)	68 (1721)	BOCE	3rd Function	\$
461-7085	5.4 (4.1)	4753 (2156)	72 (1835)	119 (3032)	68 (1721)	BOCE	3rd Function	\$
464-2895	6.5 (5)	5573 (2528)	77 (1954)	119 (3032)	73 (1863)	BOCE	3rd Function	\$
461-7060	6.5 (5)	4974 (2256)	77 (1954)	119 (3031)	73 (1864)	BOCE	3rd Function	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Multi-Purpose Buckets have excellent versatility for re-handling, clamping, dozing, grading, leveling and dumping.

Multi-Purpose Bucket



MULTI-PURPOSE BUCKETS								PIN ON
Part Number	Capacity yd3 (m3)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Required Hydraulics	Price
525-7237	2.7 (2.1)	3172 (1439)	49 (1251)	100 (2550)	50 (1274)	BOCE	3rd Function	\$
537-8665*	3.5 (2.7)	3499 (1587)	56 (1415)	108 (2750)	53 (1337)	BOCE	3rd Function	\$

**Compatible with 938K/M only*



**Waste Handling
Bucket**

Available in different styles:
waste handling, doze and
load and carrying

WASTE HANDLING BUCKETS							PIN ON
Part Number	Capacity <i>yd3 (m3)</i>	Length <i>in (mm)</i>	Width <i>in (mm)</i>	Height <i>in (mm)</i>	Edge Type	Required Hydraulics	Price
449-4365	4.5 (3.4)	82 (2089)	108 (2743)	56 (1431)	BASE	3rd Function	\$
449-4371	5 (3.8)	85 (2159)	114 (2886)	57 (1440)	BASE	3rd Function	\$
439-1335	5.5 (4.2)	56 (1435)	108 (2743)	76 (1925)	BOCE	None	\$
434-8968	5.9 (4.6)	71 (1790)	108 (2743)	63 (1605)	BOCE	None	\$
438-9377	5.6 (4.6)	56 (1435)	115 (2927)	77 (1964)	BOCE	None	\$
434-3349	6.5 (4.9)	71 (1807)	114 (2886)	66 (1640)	BOCE	None	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021

QUICK COUPLER KIT

FUSION

Part Number	Description	Machines	Price
374-5790	Electro-hydraulic coupler actuation system	924K, 926M, 930K, 930M	\$
374-5791	Electro-hydraulic coupler actuation system	938K, 938M	\$

COUPLER READY KIT

FUSION

Part Number	Machines	Price
447-4892	924K	\$
447-4893	926M, 930K, 930M	\$
447-4895	938K, 938M	\$

General Purpose Performance Series Buckets



SMALL WHEEL LOADERS ATTACHMENTS | 2021



General Purpose Performance Series

buckets provide higher fill factors and material retention in load and carry applications, as well as grading, leveling and dumping in a wide variety of applications and materials.

GENERAL PURPOSE PERFORMANCE BUCKETS							FUSION
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Price
345-2418	2.5 (1.9)	1709 (775)	44 (1109)	100 (2532)	49 (1235)	Base Edge	\$
417-4919	2.5 (1.9)	2008 (911)	47 (1181)	100 (2549)	50 (1260)	BOCE	\$
360-3320	2.7 (2.1)	1819 (825)	47 (1181)	100 (2540)	51 (1289)	Base Edge	\$
360-3321	2.7 (2.1)	2101 (953)	49 (1253)	100 (2549)	52 (1314)	BOCE	\$
360-3322	3 (2.3)	1903 (863)	49 (1244)	100 (2540)	53 (1333)	Base Edge	\$
360-3323	3 (2.2)	2143 (972)	52 (1316)	100 (2549)	54 (1358)	BOCE	\$
345-2424	3.3 (2.5)	2121 (962)	51 (1306)	99 (2520)	54 (1378)	Base Edge	\$
345-2784	3.3 (2.5)	2123 (963)	49 (1244)	107 (2727)	52 (1333)	Base Edge	\$
417-4355	3.3 (2.5)	2432 (1103)	52 (1316)	108 (2747)	54 (1358)	BOCE	\$
417-4925	3.3 (2.5)	2411 (1094)	54 (1378)	100 (2549)	55 (1404)	BOCE	\$
345-2426	3.5 (2.7)	2220 (1007)	51 (1306)	107 (2727)	54 (1378)	Base Edge	\$
345-2427	3.5 (2.7)	2542 (1153)	54 (1378)	107 (2727)	55 (1404)	BOCE	\$
360-3336	3.5 (2.7)	2121 (962)	51 (1306)	100 (2540)	56 (1414)	Base Edge	\$
345-2428	3.8 (2.9)	2297 (1042)	56 (1414)	107 (2727)	56 (1414)	Base Edge	\$
417-4929	3.8 (2.9)	2602 (1180)	56 (1427)	108 (2747)	57 (1439)	BOCE	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Performance Series Flat Floor, General Purpose Buckets utilize a long flat floor that delivers improved results when back dragging and grading.



GENERAL PURPOSE FLAT FLOOR							FUSION
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Price
491-0515	3 (2.3)	2403 (1090)	53 (1343)	100 (2532)	54 (1358)	BOCE	\$
491-0525	3.3 (2.5)	2657 (1205)	53 (1344)	107 (2727)	54 (1358)	BOCE	\$
491-0535	3 (2.3)	2436 (1105)	57 (1445)	100 (2539)	53 (1350)	BOCE	\$
493-1840	3 (2.3)	2344 (1063)	58 (1483)	100 (2539)	53 (1350)	WOT	\$
493-1850	3.3 (2.5)	2579 (1170)	58 (1483)	108 (2738)	53 (1350)	WOT	\$
493-1860	3.8 (2.9)	2771 (1257)	63 (1594)	108 (2738)	57 (1430)	WOT	\$



Specially designed Light Material Buckets

have maximum efficiency and increased capacity when loading light, loosely-packed materials.

LIGHT MATERIAL BUCKETS							FUSION
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Price
452-7417	3.9 (3)	2690 (1220)	55 (1404)	108 (2747)	54 (1369)	BOCE	\$
417-4935	4.6 (3.5)	2873 (1303)	59 (1506)	108 (2747)	57 (1449)	BOCE	\$
450-0252	5 (3.8)	3016 (1368)	63 (1588)	108 (2747)	58 (1478)	BOCE	\$
417-4342	5.5 (4.2)	3172 (1439)	66 (1676)	108 (2747)	61 (1538)	BOCE	\$
417-4950	6.5 (5)	3311 (1502)	66 (1676)	108 (2747)	66 (1687)	BOCE	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021



MATERIAL HANDLING BUCKET							FUSION
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Price
446-0738	2.0 (1.5)	2189 (993)	73 (1861)	73 (1861)	50 (1272)	BOCE	\$

Sand and Gravel Buckets

are designed for aggregate handling in batch plant loader applications.




Sand and Gravel Bucket

SAND AND GRAVEL BUCKETS							FUSION
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Price
451-1403	3.3 (2.5)	2125 (964)	50 (1262)	108 (2750)	53 (1333)	Base Edge	\$
451-1409	3.3 (2.5)	2533 (1149)	52 (1317)	108 (2747)	54 (1359)	BOCE	\$
451-1404	3.5 (2.7)	2220 (1007)	52 (1324)	108 (2750)	54 (1378)	Base Edge	\$
451-1410	3.5 (2.7)	2639 (1197)	54 (1379)	108 (2747)	55 (1404)	BOCE	\$
469-0191	3.8 (2.9)	2421 (1098)	55 (1384)	108 (2750)	56 (1419)	Base Edge	\$
469-0192	3.8 (2.9)	2725 (1236)	56 (1428)	108 (2743)	57 (1440)	BOCE	\$
451-1405	4.2 (3.2)	2487 (1128)	54 (1373)	108 (2750)	58 (1462)	Base Edge	\$
451-1411	4.2 (3.2)	2789 (1265)	56 (1426)	108 (2747)	59 (1488)	BOCE	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021

High Capacity / Wood Chip Buckets

for Cat wheel loaders have a proven design with lower weight compared to competitors and can carry materials with 20% more density than others.



High Capacity / Wood Chip Bucket

HIGH CAPACITY / WOOD CHIP BUCKETS							FUSION
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Price
568-9161	7.8 (6)	4079 (1850)	78 (1982)	121 (3062)	64 (1614)	BOCE	\$
568-9168	8.9 (6.8)	4361 (1978)	78 (1982)	133 (3382)	65 (1640)	BOCE	\$

High Dump Buckets feature greatly increased dump height over standard material-handling buckets. Whether loading trucks, feeding compactors or just working in the pile, high dump buckets offer the performance you need.



High Dump Bucket

HIGH DUMP BUCKETS						FUSION		
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Required Hydraulics	Edge Type	Price
473-6945	3.9 (3)	3763 (1707)	67 (1710)	100 (2528)	66 (1663)	3rd Function	BOCE	\$
473-6942	4.6 (3.5)	3962 (1797)	70 (1770)	107 (2728)	67 (1706)	3rd Function	BOCE	\$
476-9305	5.4 (4.1)	4687 (2126)	70 (1775)	119 (3032)	68 (1721)	3rd Function	BOCE	\$
476-9308	6.5 (5.0)	4910 (2227)	76 (1922)	119 (3032)	73 (1863)	3rd Function	BOCE	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Side Dump Buckets can dump forward as a standard bucket, or to the side. This functionality makes it uniquely suited to work in urban areas, small job sites, or other congested work environments.



Side Dump Bucket (top view)



SIDE DUMP BUCKETS								FUSION
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Dump Direction	Price
571-8457*	2.5 (1.9)	3728 (1691)	55 (1388)	122 (3105)	43 (1097)	BOCE	Left	\$
461-2391*	2.5 (1.9)	3320 (1506)	55 (1387)	122 (3105)	43 (1097)	BOCE	Right	\$

**Requires third valve on machine*



FUSION BUCKETS – SIDE DUMP

SMALL WHEEL LOADERS ATTACHMENTS | 2021



Multi-Purpose Buckets for Cat small wheel loaders offer excellent versatility by enabling one work tool to do the job of many. This bucket is ideal for material handling, clamping, grading, leveling and grasping irregularly shaped objects.



MULTI-PURPOSE BUCKETS

FUSION

Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Required Hydraulics	Price
362-0901	2.7 (2.1)	3095 (1404)	61 (1537)	61 (1537)	49 (1254)	BOCE	3rd Function	\$
362-0902	2.7 (2.1)	3124 (1417)	48 (1213)	103 (2605)	50 (1274)	BOCE	3rd Function	\$
527-9408	3.5 (2.7)	3444 (1562)	53 (1343)	108 (2750)	53 (1337)	BOCE	3rd Function	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Skeleton Bucket is primarily used to remove and separate rocks and larger debris from soil and sand.



Skeleton Bucket

SKELETON BUCKET							FUSION
Part Number	Capacity <i>yd3 (m3)</i>	Weight <i>lb (kg)</i>	Length <i>in (mm)</i>	Width <i>in (mm)</i>	Height <i>in (mm)</i>	Edge Type	Price
591-3866	2.5 (1.9)	2423 (1099)	46 (1176)	100 (2532)	51 (1031)	Base Edge	\$



**Performance Series
Buckets**



General Purpose Performance Series Buckets provide higher fill factors and material retention in load and carry applications, as well as grading, leveling and dumping in a wide variety of materials.

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS							ISO
Part Number	Capacity <i>yd3 (m3)</i>	Weight <i>lb (kg)</i>	Length <i>in (mm)</i>	Width <i>in (mm)</i>	Height <i>in (mm)</i>	Edge Type	Price
360-3256	2.7 (2.1)	1748 (793)	47 (1195)	100 (2532)	51 (1294)	Base Edge	\$
360-3257	3 (2.3)	1832 (831)	50 (1258)	100 (2532)	53 (1338)	Base Edge	\$
371-2390	3.3 (2.5)	2022 (917)	50 (1258)	107 (2727)	53 (1336)	Base Edge	\$
360-3258	3.5 (2.7)	2119 (961)	50 (1258)	107 (2727)	54 (1381)	Base Edge	\$
371-2391	3.8 (2.9)	2198 (997)	54 (1369)	107 (2727)	56 (1417)	Base Edge	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Performance Series Flat Floor, General Purpose Buckets utilize a long flat floor that delivers improved results when back dragging and grading.



**General Purpose Performance Series
Flat Floor**


GENERAL PURPOSE PERFORMANCE SERIES FLAT FLOOR BUCKETS						HPL - WIDE (L50)	
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Edge Type	Price
482-6970	3 (2.3)	2319 (1052)	52 (1331)	100 (2532)	54 (1358)	BOCE	\$
491-0510	3 (2.3)	2260 (1025)	58 (1471)	100 (2539)	53 (1349)	WOT	\$
482-6950	3.3 (2.5)	2542 (1153)	52 (1331)	107 (2727)	54 (1358)	BOCE	\$
491-0520	3.3 (2.5)	2467 (1119)	58 (1470)	108 (2738)	53 (1350)	WOT	\$
482-6960	3.8 (2.9)	2734 (1240)	57 (1441)	107 (2727)	57 (1439)	BOCE	\$
491-0530	3.8 (2.9)	2659 (1206)	62 (1581)	108 (2738)	56 (1430)	WOT	\$

BOCE - Bolt on cutting edge

WOT - Welded on teeth

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Scandinavian Style Grading Buckets have a long, flat floors giving the operator complete visibility of the cutting edge. The shape of the bucket provides flexibility to scoop material, level or backfill.



Grading Buckets

GRADING BUCKETS				HPL - WIDE (L50)		
Part Number	Capacity yd ³ (m ³)	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Price
513-0277	2.4 (1.8)	2132 (967)	65 (1640)	102 (2600)	38 (972)	\$
513-0159	2.5 (1.9)	2198 (997)	65 (1640)	106 (2700)	38 (972)	\$
513-0115	2.6 (2)	2330 (1057)	65 (1640)	114 (2900)	38 (972)	\$

Bolt-On Spill Guards increase capacity and help prevent spillage over adverse machine travel conditions.



Bolt-On Spill Guard

SPILL GUARD		HPL - WIDE (L50)			
Part Number	Weight lb (kg)	Length in (mm)	Width in (mm)	Height in (mm)	Price
519-1916	258 (117)	58 (1475)	115 (2909)	27 (675)	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Light Material Performance Series Buckets

leverage many of the same features found in the General Purpose Bucket but with higher volume capacities to handle less dense materials such as top soil, fertilizer, wood chips and many more.



**Light Material
Performance Series Bucket**

LIGHT MATERIAL PERFORMANCE SERIES BUCKETS						HPL - WIDE (L50)	
Part Number	Capacity <i>yd3 (m3)</i>	Weight <i>lb (kg)</i>	Length <i>in (mm)</i>	Width <i>in (mm)</i>	Height <i>in (mm)</i>	Edge Type	Price
575-9686	4.6 (3.5)	2747 (1246)	60 (1511)	108 (2750)	57 (1449)	BOCE	\$
575-9687	5.5 (4.2)	3025 (1372)	66 (1681)	108 (2750)	57 (1449)	BOCE	\$
575-9688	6.5 (5)	3153 (1430)	66 (1681)	108 (2750)	66 (1687)	BOCE	\$

High Dump Buckets feature greatly increased dump height over standard material-handling buckets. Whether loading trucks, feeding compactors or just working in the pile, high dump buckets offer the performance you need.

High Dump Bucket



HIGH DUMP BUCKETS						HPL - WIDE (L50)		
Part Number	Capacity <i>yd3 (m3)</i>	Weight <i>lb (kg)</i>	Length <i>in (mm)</i>	Width <i>in (mm)</i>	Height <i>in (mm)</i>	Required Hydraulics	Edge Type	Price
473-6951	3.9 (3)	3946 (1790)	70 (1767)	100 (2550)	66 (1663)	3rd Function	BOCE	\$
473-6948	4.6 (4.1)	4140 (1878)	70 (1767)	108 (2750)	67 (1706)	3rd Function	BOCE	\$
476-9311	5.4 (2.5)	5106 (2316)	72 (1832)	121 (3060)	68 (1721)	3rd Function	BOCE	\$
476-9314	6.5 (5)	5324 (2415)	77 (1952)	121 (3060)	73 (1863)	3rd Function	BOCE	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021



Cat Pipe and Pole Forks are designed and built for use in oil and gas field drilling, pipe line construction and above-ground utilities work.



The Extendable Material Handling Arm is used in industrial, construction and agricultural applications, to pick-up, carry and load a variety of materials and equipment

FORKS – PIPE AND POLE								FUSION
Part Number	Weight lb (kg)	Overall Width in (mm)	Overall Length in (mm)	Tine Length in (mm)	Max Opening Between Clamp & Tines in (mm)	Load Capacity lb (kg)	Required Hydraulics	Price
496-1905	3505 (1590)	101 (2560)	83 (2100)	60 (1525)	30 (760)	5159 (2340)	3rd Function*	\$
510-5060	4301 (1951)	101 (2560)	95 (2410)	72 (1830)	30 (760)	7401 (3357)	3rd Function*	\$

*Requires "Twist to connect" QDs.

MATERIAL HANDLING ARM								SWL
Part Number	Weight lb (kg)	Overall Width in (mm)	Retracted Length in (mm)	Extended Length in (mm)	Number of Adjustments	Maximum Load Rating lb (kg)	Maximum Horizontal Reach in (mm)	Price
510-5071*	900 (408)	25 (646)	79 (2007)	155 (3941)	3	4619 (2095)	155 (3941)	\$
510-5092**	1076 (488)	30 (758)	103 (2603)	166 (4203)	3	5362 (2432)	166 (4208)	\$

*Fusion

**ISO

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Straight Snow Pushes with bucket receiver are designed to mount to the machine without having to remove the machine bucket. This is ideal for machines that are not equipped with a quick coupler option. The bucket receiver snow push is secured to the machine by sliding the cutting edge of the bucket into the receiver arms, then fastening chains around the bucket of the machine. The chains are easily tightened by using the over center load binders that are attached to the snow push. For use with any bucket that does not have a cutting edge or teeth.



Straight Snow Push

STRAIGHT SNOW PUSHES						FUSION
MODEL	12 ft (3.66 m)	12 ft (3.66 m)	14 ft (4.27 m)	14 ft (4.27 m)	16 ft (4.88 m)	16 ft (4.88 m)
Part Number	477-9891	508-8310	477-9893	508-8315	477-9897	508-8320
Working Width - in (mm)	144 (3658)	144 (3658)	168 (4267)	168 (4267)	192 (4877)	192 (4877)
Overall Width - in (mm)	151 (3829)	151 (3829)	175 (4439)	175 (4439)	199 (5048)	199 (5048)
Overall Height - in (mm)	44 (1128)	44 (1128)	44 (1128)	44 (1128)	44 (1128)	44 (1128)
Length - in (mm)	62 (1574)	62 (1574)	62 (1574)	62 (1574)	62 (1574)	62 (1574)
Weight - lb (kg)	2932 (1330)	2932 (1330)	3177 (1441)	3177 (1441)	3422 (1552)	3422 (1552)
Trip Edge	Yes	Yes	Yes	Yes	Yes	Yes
Edge Height - in (mm)	8 (194)	8 (194)	8 (194)	8 (194)	8 (194)	8 (194)
Edge Type	Steel	Rubber	Steel	Rubber	Steel	Rubber
Machine	CWL / SWL	CWL / SWL	SWL	SWL	SWL	SWL
Price	\$	\$	\$	\$	\$	\$
Cutting Edge	482-7664*	499-3627*	482-7629*	499-3628*	482-7618*	499-3629*
Price	\$	\$	\$	\$	\$	\$

**Order quantity of two.*

SMALL WHEEL LOADERS ATTACHMENTS | 2021



Bucket Receiver Snow Push

STRAIGHT SNOW PUSHES

BUCKET RECEIVER

MODEL	12 ft (3.66 m)	12 ft (3.66 m)	14 ft (4.27 m)	14 ft (4.27 m)	16 ft (4.88 m)	16 ft (4.88 m)
Working Width - in (mm)	144 (3658)	144 (3658)	168 (4267)	168 (4267)	192 (4877)	192 (4877)
Overall Width - in (mm)	151 (3829)	151 (3829)	175 (4439)	175 (4439)	199 (5048)	199 (5048)
Overall Height - in (mm)	43 (1086)	43 (1086)	43 (1086)	43 (1086)	43 (1086)	43 (1086)
Length - in (mm)	77 (1945)	77 (1945)	77 (1945)	77 (1945)	77 (1945)	77 (1945)
Weight - lb (kg)	2635 (1195)	2787 (1264)	2879 (1306)	3031 (1375)	3113 (1412)	3276 (1486)
Trip Edge	Yes	Yes	Yes	Yes	Yes	Yes
Trip Edge Height - in (mm)	8 (194)	8 (194)	8 (194)	8 (194)	8 (194)	8 (194)
Trip Edge Type	Rubber	Steel	Rubber	Steel	Rubber	Steel
Part Number	508-8325	477-9892	508-8330	477-9894	508-8335	477-9898
Price	\$	\$	\$	\$	\$	\$
Cutting Edge	489-3929*	482-7664*	499-3628*	482-7629*	499-3629*	482-7618*
Price	\$	\$	\$	\$	\$	\$

**Order quantity of two.*

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Cat Snow Plows

are designed for snow removal applications in parking lots, drive-ways, airport runways and storage lots. The plow is designed to scrape the surface and can be angled to windrow material to one side. The trip edge system protects equipment from unseen obstacles by retracting when objects such as a manhole cover or large rocks are hit.



Snow Plow

SNOW PLOWS					FUSION	
MODEL	10 ft (3 m)	12 ft (3.7 m)	12 ft (3.7 m)	12 ft (3.7 m)	14 ft (4.3 m)	14 ft (4.3 m)
Part Number	479-8098	479-8108	315-6675	489-7688	479-8118	315-6676
Width – in (mm)	120 (3048)	144 (3658)	146 (3696)	146 (3696)	168 (4267)	168 (4265)
Blade Height – in (mm)	42 (1073)	42 (1073)	42 (1073)	42 (1073)	42 (1073)	42 (1073)
Length – in (mm)	70 (1775)	70 (1775)	70 (1775)	70 (1775)	70 (1775)	70 (1775)
Weight – lb (kg)	3062 (1389)	3362 (1525)	2867 (1300)	2932 (1330)	3362 (1525)	3775 (1712)
Trip Edge Type	Steel	Steel	Steel	Steel	Steel	Steel
Trip Edge Height – in (mm)	7.6 (194)	7.6 (194)	7.6 (194)	7.6 (194)	7.6 (194)	7.6 (194)
Required Hydraulics	3rd Function	3rd Function	3rd Function	3rd Function	3rd Function	3rd Function
Hydraulic Angling Left/Right Over Center	35 degrees	35 degrees	25 degrees	35 degrees	35 degrees	25 degrees
Price	\$	\$	\$	\$	\$	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Cat® Snow Plows



SMALL WHEEL LOADERS ATTACHMENTS | 2021

Millyard Forks maximize the ability to fill the fork at every pass. They efficiently load and unload from trucks, capably sort pole and decking materials, effectively feed sawmills and handle other long or bulky material.



**Fusion
Millyard Forks**

Semi Millyard Forks feature a top clamp that closes between the tines allowing the forks to close onto loads as small as a single log. Stack, carry and sort piles of lumber more efficiently than ever.



**Fusion
Semi Millyard Forks**

FORKS			FUSION	
STYLE	Millyard	Semi Millyard	Semi Millyard	Semi Millyard
Part Number	521-9401	521-9397	521-9398	521-9400
Weight - lb (kg)	3779 (1714)	4328 (1963)	3514 (1594)	4628 (2099)
Overall Width - in (mm)	87 (2200)	70 (1800)	70 (1800)	87 (2204)
Overall Height (Open) - in (mm)	93 (2347)	105 (2664)	105 (2664)	122 (3101)
Overall Length - in (mm)	76 (1921)	78 (1981)	72 (1830)	54 (1524)
Minimum Opening Between Clamp and Tines - in (mm)	6 (149)	6 (152)	6 (152)	6 (152)
Maximum Opening Between Clamp and Tines - in (mm)	82 (2089)	99 (2510)	99 (2510)	99 (2510)
Tine Spacing - in (mm)	77 (1955)	—	—	—
Tine Spacing Minimum - in (mm)	—	48 (1210)	48 (1210)	61 (1547)
Tine Spacing Maximum - in (mm)	—	66 (1670)	66 (1670)	82 (2086)
Grapple Area - yd ² (m ²)	1.7 (1.4)	2 (1.7)	1.8 (1.5)	1.8 (1.5)
Required Hydraulics	3rd Function	3rd Function	3rd Function	3rd Function
Machine	938K/M	924K/926M, 930K/M, 938K/M	924K/926M, 930K/M, 938K/M	924K/926M, 930K/M, 938K/M
Price	\$	\$	\$	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021



**HPL - Wide (L50)
Sorting Grapple Fork**



FORKS – SORTING GRAPPLE

HPL - WIDE (L50)

Part Number	Weight lb (kg)	Overall Width in (mm)	Maximum Level Height in (mm)	Total Length in (mm)	Max Opening Between Clamp & Tines in (mm)	Grapple Area yd ² (m ²)	Required Hydraulics	Price
492-7185	3741 (1697)	71 (1812)	145 (3675)	315 (7989)	103 (2608)	21 (1.9)	3rd Function	\$

Log and Lumber Fork Carriages are used to load, unload, move deck, sort and feed the mill. Their flat fork tines and raised guards are designed specifically for handling both unfinished logs and stacked lumber.

Log and Lumber Carriage and Forks



FORK CARRIAGE – LOG AND LUMBER

PIN ON

Part Number	Weight lb (kg)	Frame Width in (mm)	Overall Width in (mm)	Frame Height in (mm)	Price
520-3467*	1651 (749)	105 (2660)	102 (2591)	57 (1442)	\$
539-2249*	1761 (799)	108 (2743)	111 (2812)	57 (1442)	\$

*Requires 2 x 520-3468 or 2 x 520-3469

FORKS – LOG AND LUMBER

Part Number	Weight lb (kg)	Length in (mm)	Width in (mm)	Thickness in (mm)	Height in (mm)	Style	Price
520-3468*	523 (237)	72 (1829)	7 (180)	2.5 (65)	40 (1017)	Non-Swinging, Non-Floating	\$
520-3469*	719 (326)	96 (2438)	7 (180)	2.9 (75)	40 (1016)	Non-Swinging, Non-Floating	\$

*Order two forks for a complete set

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Log and Lumber Forks and Carriages

are used to load, unload, move deck, sort and feed the mill.

Flat fork tines and raised guards are designed specifically for use in handling both unfinished logs and stacked lumber.




**Non-Swinging,
Non-Floating Carriage and Fork**

FORK CARRIAGE – LOG AND LUMBER					FUSION
Part Number	Weight lb (kg)	Width in (mm)	Height in (mm)	Type	Price
520-3466*	1552 (704)	105 (2659)	57 (1458)	Non-Swinging, Non-Floating	\$

**Requires 2 x 520-3468 or 2 x 520-3469*

Log and Lumber Tine



FORKS – LOG AND LUMBER								
Part Number	Weight lb (kg)	Tine Length in (mm)	Overall Length in (mm)	Width in (mm)	Thickness in (mm)	Height in (mm)	Style	Price
520-3468*	523 (237)	72 (1829)	79 (2008)	7 (180)	2.6 (65)	40 (1017)	Non-Swinging, Non-Floating	\$
520-3469*	719 (326)	96 (2438)	104 (2628)	7 (180)	3 (75)	40 (1017)	Non-Swinging, Non-Floating	\$

**Order two forks for a complete set*

SMALL WHEEL LOADERS ATTACHMENTS | 2021

FORK CARRIAGE – LOG AND LUMBER					FUSION
Part Number	Weight lb (kg)	Width in (mm)	Height in (mm)	Type	Price
540-6596*	1167 (529)	74 (1869)	60 (1520)	Non-Swinging, Floating	\$
540-6599*	1241 (563)	86 (2174)	60 (1520)	Non-Swinging, Floating	\$

*Requires 2 x 520-3458 or 2 x 520-3459 or 2 x 520-3460



Non-Swinging, Floating
Carriage and Fork



FORKS – LOG AND LUMBER								
Part Number	Weight lb (kg)	Tine Length in (mm)	Overall Length in (mm)	Width in (mm)	Thickness in (mm)	Height in (mm)	Style	Price
520-3458*	364 (165)	48 (1219)	55 (1399)	6 (150)	2.6 (65)	42 (1058)	Non-Swinging, Floating	\$
520-3459*	406 (184)	60 (1524)	67 (1703)	6 (150)	2.6 (65)	42 (1058)	Non-Swinging, Floating	\$
520-3460*	450 (204)	72 (1829)	79 (2008)	6 (150)	2.6 (65)	42 (1058)	Non-Swinging, Floating	\$

*Order two forks for a complete set


SMALL WHEEL LOADERS ATTACHMENTS | 2021

FORK CARRIAGE – LOG AND LUMBER					FUSION
Part Number	Weight lb (kg)	Width in (mm)	Height in (mm)	Type	Price
545-5791*	1455 (660)	67 (1705)	74 (1880)	Swinging, Floating	\$

*Requires 2 x 520-3463 or 2 x 520-3464 or 2 x 520-3465



Swinging, Floating Carriage and Fork



FORKS – LOG AND LUMBER								
Part Number	Weight lb (kg)	Tine Length in (mm)	Overall Length in (mm)	Width in (mm)	Thickness in (mm)	Height in (mm)	Style	Price
520-3463*	344 (156)	48 (1219)	55 (1399)	6 (150)	2.6 (65)	38 (965)	Swinging, Floating	\$
520-3464*	397 (180)	60 (1524)	67 (1703)	6 (150)	2.6 (65)	38 (965)	Swinging, Floating	\$
520-3465*	448 (203)	72 (1829)	79 (2008)	6 (150)	2.6 (65)	38 (965)	Swinging, Floating	\$

*Order two forks for a complete set

FLOAT LOCKOUT KIT – LOG AND LUMBER				FUSION
Part Number	Description		Type	Price
522-8450	Kit blocks the floating option, to prevent tines floating.		Swinging, Floating	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021




**HPL - Wide (L50)
Pallet Fork Carriage**

FORK CARRIAGE – PALLET				HPL - WIDE (L50)	
Part Number	Class	Weight lb (kg)	Width in (mm)	Height in (mm)	Price
555-3376*	4	714 (324)	62 (1566)	38 (953)	\$

**Requires 2 x Class 4 forks/tines*

Offset Pallet Fork Tines offer improved visibility for the Fusion interface and also prevent loader arms from dragging when loading and unloading trucks.



Offset Fork Tine

FORK TINES – OFFSET								
Part Number	Weight lb (kg)	Tine Length in (mm)	Overall Length in (mm)	Width in (mm)	Thickness in (mm)	Height in (mm)	Side	Price
371-2374*	301 (137)	48 (1220)	52 (1321)	6 (150)	2.4 (60)	30 (758)	Right	\$
371-2375*	301 (137)	48 (1220)	52 (1321)	6 (150)	2.4 (60)	30 (758)	Left	\$
360-3354*	323 (147)	54 (1370)	58 (1475)	6 (150)	2.4 (60)	30 (758)	Left	\$
360-3355*	323 (147)	54 (1370)	58 (1475)	6 (150)	2.4 (60)	30 (758)	Right	\$
371-2377*	348 (158)	60 (1524)	64 (1625)	6 (150)	2.4 (60)	30 (758)	Right	\$
371-2376*	348 (158)	60 (1524)	64 (1625)	6 (150)	2.4 (60)	30 (758)	Left	\$

**Order a left and right fork for a complete set. For use with Class 4 carriage.*

SMALL WHEEL LOADERS ATTACHMENTS | 2021




Construction Forks are wider than pallet forks and designed for heavy duty applications. Fork tines can be configured to allow tines to either swing or stay in a fixed position

FORKS – CONSTRUCTION							FUSION
Part Number	Weight lb (kg)	Tine Length in (mm)	Overall Length in (mm)	Width in (mm)	Thickness in (mm)	Height in (mm)	Price
538-3866*	2121 (962)	60 (1524)	85 (2169)	6 (150)	3 (75)	33 (841)	\$
538-3867*	2216 (1005)	72 (1829)	97 (2473)	6 (150)	3 (75)	33 (841)	\$

**Includes two forks/tines*

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Construction Fork Carriages are wider than pallet fork carriages and can be configured to allow tines to either swing or stay in a fixed position.



Non-Swinging



Swinging

FORK CARRIAGE – HEAVY DUTY CONSTRUCTION FUSION


Part Number	Weight lb (kg)	Width in (mm)	Height in (mm)	Price
592-1005*	1149 (521)	84 (2134)	43 (1095)	\$

**Requires 1 set of tines (not included)*

FORK KITS – HEAVY DUTY CONSTRUCTION FUSION

Part Number	Tine Length in (mm)	Tine Width in (mm)	Tine Thickness in (mm)	Price
315-1414*	48 (1200)	6 (150)	2.5 (65)	\$
314-7445*	60 (1524)	6 (150)	2.5 (65)	\$
315-1415*	72 (1829)	6 (150)	2.5 (65)	\$

**For use with 592-1005 carriage. Kits include both left hand and right hand tines.*



Swinging and Floating Forks Benefits

Swinging

Fork tines swing freely as the carriage angle changes with the benefit of the tines staying level with the ground. Swinging tines are easier to line up because the operator does not have to adjust the carriage angle.

Floating

Fork tines move up and down along vertical cutouts on the carriage frame. This feature, known as "tine drop," allows the tines to sit below the frame of the carriage which enhances the operator's sightline and makes them ideal for use when working on uneven ground.

SMALL WHEEL LOADERS ATTACHMENTS | 2021

Angle Brooms

are used for clearing parking lots, industrial plants, mill yards, airport runways, streets, driveways and lanes.



BA25
Manual Angle Broom

ANGLE BROOMS			SWL
MODEL	BA25	BA25	BA25
Width - in (mm)	106 (2700)	106 (2700)	106 (2700)
Sweeping Width - in (mm)	98 (2500)	98 (2500)	98 (2500)
Brush Diameter - in (mm)	28 (700)	28 (700)	28 (700)
Brush Material (50% Poly / 50% Wire)	Yes	Yes	Yes
Height - in (mm)	51 (1300)	51 (1300)	51 (1300)
Length - in (mm)	60 (1535)	60 (1535)	60 (1535)
Weight - lb (kg)	948 (430)	970 (440)	970 (440)
Angling	Manual	Hydraulic (12V)	Hydraulic (24V)
Part Number	600-8979*	600-8980*	600-8981*
Price	\$	\$	\$


**Does not include hook; requires hook selection*

BRISTLES			SWL
BA25 BROOM	POLY	STEEL	SPACER
Part Number	302-8211	202-8957	421-1549
Quantity*	28	27	54
Price	\$	\$	\$

**Quantities are number needed to complete one set of mixed (poly/steel) bristles.*

HOOK SELECTION			SWL
MACHINE	INTERFACE	BA25	Price
910 – 938	ISO (L50)	487-8480	\$
Legacy	IT (IT38)	487-8481	\$
910 – 938	IT (IT14/28)	487-8490	\$
918 – 938	FUSION	497-9469	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021



BA30 Hydraulic Angle Broom
Steel and Poly Bristles



BA30
Manual Angle Broom

ANGLE BROOMS		SWL
MODEL	BA30	BA30
Width - in (mm)	126 (3200)	126 (3200)
Sweeping Width - in (mm)	118 (3000)	118 (3000)
Brush Diameter - in (mm)	36 (915)	36 (915)
Brush Material (50% Poly / 50% Wire)	Yes	Yes
Height - in (mm)	60 (1520)	60 (1520)
Length - in (mm)	64 (1630)	64 (1630)
Weight - lb (kg)	1100 (500)	1124 (510)
Angling	Manual	Hydraulic (24V)
Part Number	202-7700*	600-8983*
Price	\$	\$

**Does not include hook; requires hook selection*

BRISTLES			SWL
BA30 BROOM	POLY	STEEL	SPACER
Part Number	606-2973	138-1160	421-1549
Quantity*	34	33	66
Price	\$	\$	\$

**Quantities are number needed to complete one set of mixed (poly/steel) bristles.*

HOOK SELECTION			SWL
MACHINE	INTERFACE	BA30	Price
910 – 938	ISO (L50)	487-8480	\$
Legacy	IT (IT38)	487-8481	\$
910 – 938	IT (IT14/28)	487-8490	\$
918 – 938	FUSION	497-9469	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021



SPECIAL APPLICATION BROOMS		SWL
MODEL	SA25	SA30
Width - in (mm)	109 (2757)	128 (3257)
Sweeping Width - in (mm)	98 (2500)	118 (3000)
Brush Diameter - in (mm)	36 (915)	36 (915)
Brush Material (100% Poly)	Yes	Yes
Height - in (mm)	56 (1422)	56 (1422)
Length - in (mm)	64 (1636)	64 (1636)
Weight - lb (kg)	1640 (743)	1800 (816)
Angling	Hydraulic	Hydraulic
Part Number	267-4961*	257-9680*
Price	\$	\$

**Does not include hook; requires hook selection*

BRISTLES		SWL	
SPECIAL APPLICATION 25 BROOM	POLY C*	STEEL	SPACER
Part Number	239-6817	-	421-1549
Quantity	32	-	31
Price	\$	\$	\$
SPECIAL APPLICATION 30 BROOM	POLY C*	STEEL	SPACER
Part Number	239-6817	-	421-1549
Quantity	40	-----	39
Price	\$	\$	\$

**C - Convolute (not straight)*

HOOK SELECTION			SWL
MACHINE	INTERFACE	SA25 / SA30	Price
910 – 938	ISO (L50)	487-8480	\$
Legacy	IT (IT38)	487-8481	\$
910 – 938	IT (IT14/28)	487-8490	\$
918 – 938	FUSION	497-9469	\$

SMALL WHEEL LOADERS ATTACHMENTS | 2021



PICKUP BROOMS		SWL
MODEL		BP25
Width - in (mm)		1435 (651)
Sweeping Width - in (mm)		98 (2500)
Brush Diameter - in (mm)		28 (700)
Brush Material (50% Poly / 50% Wire)		Yes
Height - in (mm)		59 (1500)
Length - in (mm)		71 (1800)
Weight - lb (kg)		1435 (651)
Part Number		487-8484*
Price		\$

**Does not include hook; requires hook selection*

BRISTLES			SWL
BP25 BROOM	POLY	STEEL	SPACER
Part Number	157-2556	-	421-1549
Quantity	34	-	33
Price	\$	\$	\$

HOOK SELECTION			SWL
MACHINE	INTERFACE	BP25	Price
910 – 938	ISO (L50)	487-8480	\$
Legacy	IT (IT38)	487-8481	\$
910 – 938	IT (IT14/28)	487-8490	\$
918 – 938	FUSION	497-9469	\$

SMALL WHEEL LOADERS

ATTACHMENTS | 2021

BROOM KITS		SWL
Part Number	Description	Price
497-9469	Broom Hook, Fusion - For use with Fusion quick coupler	\$
487-8490	Broom Hook, IT - For use with standard quick coupler IT14/28	\$
487-8481	Broom Hook, IT38 - For use with standard quick coupler IT38	\$
487-8480	Broom Hook, HPL - Wide (L50) - For use with horizontal pin lock coupler HPL - Wide (L50)	\$
446-9301	Broom Kit, Electric, SWL K/M – For use with all brooms on 924-938K/M series	\$
602-6792	Broom Kit, Electric, SWL K/M – Includes 8 pins electrical harness FOR USE WITH: All brooms on 924-938K/M Series	\$
173-2190	Broom Kit, Electric, SWL G/H + MG - For use with: 938H, 930H, 928Hz, 928Gz, 924Hz, 924Gz, 924H and IT28G	\$
363-4263	Broom Kit, Electric, BP25, 924G/H - For use with BP25 and 924G/H	\$
457-4632	QDS Kit, Twist, M45 - Converts a machine using the flat face type quick disconnects to a machine using the screw to connect type quick disconnects.	\$
269-9333	BA25 Shield Extension - Spray protection for BA25	\$
269-9281	BA30 Shield Extension - Spray protection for BA30	\$
497-9459	BA25 Broom Spray Kit, 24V	\$
497-9460	BA30 Broom Spray Kit, 24V	\$
497-9461	BA25 Broom Tank Kit, 105 gallons (Requires 497-9459 KIT SPRAY, BA25, 24V)	\$
497-9462	BA30 Broom Tank Kit, 158 gallons (Requires 497-9460 KIT SPRAY, BA30, 24V)	\$

SMALL WHEEL LOADERS

ATTACHMENTS | 2021

***NOTE:** Use the IT coupler to connect non-current small wheel loader worktools to your existing fleet. For a list of non-current IT worktools, please contact your local Cat dealer.

QUICK COUPLER

IT

Part Number	Description	Machines	Price
396-1605*	IT (Standard) hydraulic quick coupler	924K, 930K, 926M, 930M	\$

QUICK COUPLER

HORIZONTAL PIN LOCK - WIDE

Part Number	Description	Machines	Price
395-0329	CAT HPL (horizontal pin lock - wide) hydraulic quick coupler, 2" pins and 4" top bar	924K, 930K, 926M, 930M	\$

COUPLING QD KIT


Part Number	Description	Price
455-7380	Provides a set (male and female) of flat face connect under pressure quick disconnects. These are twist to connect M45.	\$

PUSH QDS SIZE 12 KIT

Part Number	Description	Price
196-4191	Kit provides a set (male and female) "Push to Connect" Quick Disconnects. For pre 2014 K series machines.	\$

PRÍDAVNÉ ZARIADENIA

PRE MALÉ KOLESOVÉ NAKLADAČE



© 2021 Caterpillar. Všetky práva vyhradené. CAT, CATERPILLAR, príslušné logotypy, „Žltá Caterpillar“ a grafické štýly korporácie a produktov sú ochranné značky Caterpillar a nesmú byť použité bez súhlasu.

Zeppelin SK s.r.o.

Zvolenská cesta 14605/50
974 05 Banská Bystrica – Kráľová

048 / 414 99 01

zeppelin.sk
mojstroj.sk

Obchodní zástupcovia servisu – PSSR

SK	0910 859 013	michal.zosiak@zeppelin.com
SK	0903 901 328	patrik.olejnik@zeppelin.com
SK	0902 267 275	norbert.bystriansky@zeppelin.com
BA	0903 530 459	jano.david@zeppelin.com
ZA	0903 564 921	
BB	0903 704 247	stefan.marko@zeppelin.com
KE	0903 804 823	viktor.blanar@zeppelin.com

POŽIČOVŇA STAVEBNÝCH STROJOV

☎ 048 / 169 69 ✉ pozicovna-sk@zeppelin.com

ZEPPELIN **CAT**